IFC Certificate

Fire Resistant Metal Doors Scheme

Certificate Number: IFCC 1888

Initial Certification: 20 March 2024 **Revised:** 17 August 2026
Valid to: 19 March 2029 **Issue No:** 2

Issued by **IFC Certification Ltd** part of the Kiwa UK Group

This is to certify that

Jada Company

21 Jawharet Alswefieh building
P.O. Box 143386
Amman
Jordan
Tel: +962 65866161

Who fabricate the following steel fire doorsets:

Latched Single Acting Single Leaf Steel Doorset with Honeycomb Infill – FD240.
Latched Single Acting Single & Half Leaf Steel Doorset with Mineral Fibre Infill and a Vision Panel – FD90.

at the manufacturing site code: X-K, has satisfied the requirements of the SDP 02 Metal Fire Door scheme v2.8. This includes the testing of products to **BS476: Part 22: 1987**, the inspection of their Factory Production Control continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve **from 90 minutes to 240 minutes integrity** are detailed on page 2 of this certificate.

David Mowatt
Head of IFC Certification /
Kiwa UK

kiwa CERTIFIED Product Scheme IFC Certification

UKAS PRODUCT CERTIFICATION 0175

Certificate is only valid if verified on the website.
Check the validity of this certificate by scanning this QR Code or visiting www.ifccertification.com/search/

KIWA
IFC Certification Ltd
Ground Floor, Suite A
Building 2,
Bear Brook Office Park
Walton Street, Aylesbury,
Bucks, HP21 7GQ

IFC Certificate

Certificate Number: IFCC 1888 issue 2

The production of fire-resistant steel doorsets are manufactured in accordance with the assessment/ test reports referenced within the following table:

Product Description	Fire Rating	Assessment/ Test Report
LSASD with Honeycomb infill	FD240	BMT/FEP/F15200 Doorset A
LSADD with Mineral Fibre infill and Vision Panel	FD90	BMT/FEP/F15200 Doorset B

Signed on behalf of Kiwa UK



David Mowatt
Head of IFC Certification /
Kiwa UK

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder's responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.